

YOUR POWERFUL PARTNER IN THE GARDEN

INNOVATIVE. STABLE VALUE. COMPETENT.

KGT
KREATIVE GARTENTECHNIK



PRODUCT CATALOGUE

QUALITY MADE IN GERMANY

WWW.KGT-GMBH.DE



Dear gardening friends,

At a time when self-sufficiency and sustainability have not only become valuable trends, but also an expression of a conscious lifestyle, having your own garden takes on a whole new meaning. It is a place where you can not only relax and unwind, but also harvest the fruits of your labour in the form of crunchy vegetables and sweet fruit. The joy that arises from the combination of closeness to nature and personal initiative is unique - and this year we would like to share this joy with you and deepen it further.

That is why we are particularly pleased to be able to present a wide range of greenhouse models in our new KGT product catalogue, which will provide you with optimum support on your way to self-sufficiency. With robust aluminium frames and unbreakable ISO twin-wall sheets, our greenhouses offer ideal conditions for a wide range of fruit and vegetables - whatever the weather. Developed with the precision of German engineering and the demand for long-lasting quality, you benefit from high-yield cultivation and an extended harvest period.

We realise that gardening is about more than just yield: it's about experiencing nature, mindfulness and the satisfaction that comes from doing it yourself. That's why our products are more than just greenhouses - they are your personal contribution to a healthy, sustainable lifestyle.

Enjoy discovering our new catalogue and have fun on your way to self-sufficiency – with KGT at your side.

Sincerely,

Christian Berg

Christian Berg | CEO

▲ Our high-quality products are developed, manufactured and stored on approx. 7,500 m² of production and storage space in Uplengen/Jübbberde.



You can also find all KGT products online at kgt-gmbh.de

Values that count. Perfection is in the detail.

Uncompromising quality through care and precision from design to final production: This ensures our premium standards and inspires our customers. We have developed our greenhouses especially for the discerning hobby gardener. Quality and functionality are at a professional level. The variety of models leaves nothing to be desired: There is the right greenhouse for every garden. High product quality and user-friendly, simple assembly as well as long-lasting functional reliability will inspire you.

It's the little things that make the big difference. Depending on the model, many useful details are already included as standard: split hinged doors with lockable door handle, large roof windows with automatic window opener and much more. Everything is consistently solid down to the smallest detail - this is the only way to create perfect products.



▲ Find out more about the quality features and ingenious details of KGT greenhouses on page 7.



GUARANTEED BEST QUALITY

Our products bear „Made in Germany“ as a consistent seal of quality. We design, manufacture and store our greenhouses, raised beds and accessory products at our site in beautiful East Frisia near the North Sea coast. All of our profile systems are made from the best aluminium, and we only use high-quality polycarbonate for our special glazing technology. Even small parts and accessories are all of premium quality. The decidedly above-average quality of our products is not a matter of faith for us - it is the result of our in-depth expertise and assured quality management.



f Facebook



Instagram



Pinterest



ARE YOU ALREADY FOLLOWING US?

We are also represented on Facebook, Instagram and Pinterest. Follow us for practical gardening tips, great inspiration and lots of information about greenhouses and more!

CONTENTS

- 06 Greenhouse quality overview
- 08 Overview of glazing

GREENHOUSES WITH 6 MM GLAZING

- 10 Greenhouse Rhodo
- 12 Greenhouse Callas
- 14 Greenhouse Enzian
- 16 Greenhouse Jasmin
- 18 Garden trends 2025

GREENHOUSES WITH 10 MM GLAZING

- 20 Greenhouse Rose
- 22 Greenhouse Orchidee
- 24 Greenhouse Lilie
- 26 Greenhouse Linea
- 28 Tips: What should I consider before buying?

GREENHOUSES WITH 16 MM GLAZING

- 30 Greenhouse Iris
- 32 Greenhouse Nelke
- 34 Greenhouse Dahlie
- 36 Greenhouse Santini
- 38 Tips on the topic of self-sufficiency

PREMIUM GREENHOUSES WITH REAL GLASS OPTION (ESG)

- 40 **NEW** Greenhouse Aptasia
- 42 **NEW** Greenhouse Ortasia
- 44 Greenhouse Galant
- 46 Greenhouse Novum
- 48 Foundation frame & installation service

EARLY AND RAISED BEDS

- 50 Cold frame 100 & 210
- 51 Turtle base
- 52 Aluminium raised bed 130
- 53 Aluminium raised bed 210
- 54 Aluminium raised bed 45 cm deep
- 55 Cold frame attachments
- 56 Woody raised bed
- 57 Woody Light raised bed
- 58 Tips: The optimal raised bed filling

FURNISHINGS AND ACCESSORIES

- 60 Greenhouse equipment
- 63 Greenhouse accessories

CARPORTS

- 65 Take the test: what type of gardener are you?
- 67 Carport quality overview
- 68 Carport Elbe
- 69 Side elements Carport Elbe
- 70 KGT on social media
- 71 Customer impressions & imprint



Relax in the green living room:
The new Ortasia greenhouse offers plenty of
space, comfort and elegant real glass glazing.



40

With the new KGT premium greenhouse
Aptasia you can keep an eye on things in the
garden thanks to high-quality real glass glazing.

38

Fresh and healthy food from your
own garden all year round.
Discover useful tips on the topic of
self-sufficiency.



Decorative & functional:
New raised bed series with
a depth of 45 cm.



54



42

”

A garden is a friend that you
can visit at any time.

“

58

Learn all about the
ideal raised bed filling
on page 58.

Practical cold frame
attachments in
anthracite grey.



55






Customised products are available on request.

” Attention to detail can create great things. “

Quality overview greenhouses



Stable, continuous ridge profile.



High incidence of light thanks to a wide glazing grid and optimised roof pitch.



Wide roof window with automatic window regulator: Opens and closes automatically by means of an oil-wax mixture in the cylinder, which is expands with heat and contracts when the temperature falls.



Large-format continuous channel profile with drain (except for the Rhodo model).



High standing or side wall (1.49 m to 2.02 m depending on the model).



High-quality, lockable door handle (depending on model).




Particularly smooth-running door hinge.



Large rear window (depending on model).



Sturdy basic construction, secure plug-and-screw connection technology.




Safe, sophisticated glazing technology without clips or plastic mouldings.



Continuous floor profiles - with foundation frame at an extra charge: This is dug in for additional stability and connects firmly to the greenhouse; not necessary if there is a solid base to screw the greenhouse onto.

Durable, robust and versatile: ISO twin-wall sheets

Our ISO twin-wall sheets are synonymous with quality and durability. These robust sheets are made of highly break-resistant polycarbonate and offer not only exceptional stability, but also effective protection against the so-called „burning glass effect“ thanks to their excellent light diffusion. Available in three different thicknesses of 6 mm, 10 mm and 16 mm, they offer flexible solutions for various insulation requirements. Whether for greenhouses, carports or cold frames, our twin-wall sheets are the ideal choice for projects that require high load-bearing capacity and durability.



Greenhouses with 6 mm glazing

Our basic models with 6 mm glazing offer a customised introduction to the world of KGT greenhouses. The entry-level models are simply ideal for growing plants in early spring.

They feature the typical KGT family strengths: the permanently stable, innovative construction made of aluminium profiles and the glazing with break-proof ISO twin-wall polycarbonate sheets. All the important profiles are made in one piece, ensuring optimum stability and preventing potential leaks. All this at an excellent price/performance ratio.



Rhodo



Callas



Enzian



Jasmin

6 MM TWIN-WALL SHEETS

Ideal entry-level models

Suitable for growing plants in early spring

Compact greenhouses with a comfortable eaves height of 1.49 m

Models:
Rhodo, Callas, Enzian, Jasmin

The Enzian model is the wider version of the Callas model.

10 MM TWIN-WALL SHEETS

Suitable for garden professionals

Thicker glazing with better insulation values for an early start to the season and for overwintering plants

Spacious greenhouses

Models:
Rose, Orchidee, Lilie, Linea

The Orchidee model is the wider version of the Rose model.

The Lilie model is the higher version of the Orchidee model.

16 MM TWIN-WALL SHEETS

Suitable for garden professionals

Extra thick glazing for optimum insulation

Effortless overwintering of frost-sensitive plants possible without high heating costs

Models:
Iris, Nelke, Dahlie, Santini

The Nelke model is the wider version of the Iris model.

The Dahlie model is the higher version of the Nelke model.

For a clear and elegant look: real glass glazing

Greenhouses with glazing made of toughened safety glass (ESG) are a special eye-catcher in the garden thanks to the clear elegance of the panes. In addition to its aesthetic clarity, ESG offers a high level of safety as it is more resistant than normal single glazing and shatters into blunt pieces in the event of breakage. The excellent light transmission of toughened safety glass can promote healthy plant growth and an appropriate microclimate for specific plant species. If there is a lot of sunshine, shading is recommended to avoid the „burning glass effect“. ESG is also durable, weather-resistant and blends harmoniously into any garden design.

4 MM TOUGHENED SAFETY GLASS (ESG)

Clear elegance, beautiful look

Break-resistant and safe

Models:
Galant, Novum, Aptasia, Ortasia

The Novum model is the wider version of the Galant model.

The Ortasia model is the wider version of the Aptasia model.



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Optionally available:
Fixing set for
dowelling
Page 64



Fixing set for dowelling



Smooth-running sliding door



Practical accessories on page 60

GREENHOUSE RHODO

Elegant design for stylish gardens

The KGT Rhodo greenhouse is the perfect entry-level model in the world of greenhouses. The round onion shape provides a particularly good incidence of light. With its sturdy aluminium construction and heat-insulating 6 mm thick ISO twin-wall sheets, the greenhouse is ideal for growing plants in early spring. In addition to the wide, smooth-running sliding door, the greenhouse also has a skylight with a manual opener to ensure optimum ventilation for your plants.

COLOUR VERSIONS

Aluminium pressed blank

PRODUCT DETAILS

Glazing grid: 0.71 m
Glazing: 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
UV protection: „Longlife“ UV-protected exterior




Highlights

- Wide, smooth-running sliding door (0.71 x 1.77 m), door hinge on the right
- Large skylight with manual opener
- Elegant design



MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	RHODO TYPE III (2.27 x 2.27 m = 5.15 m ²)	Pressed blank	18300000	4260120341919
		Aluminium foundation frame	18304000	4260120341926
	RHODO TYPE IV (2.27 x 3.00 m = 6.81 m ²)	Pressed blank	18400000	4260120341742
		Aluminium foundation frame	18404000	4260120341759

i Matching accessories available separately. Customisation possible on request.
Optional: Fixing set for dowelling (page 64)



Do you already know our KGT Pinterest channel? Take a look and let yourself be inspired!

KGT_gmbh



GREENHOUSE CALLAS

The ideal entry-level model into the world of gardening

The Callas model offers an easy introduction to the world of gardening. It has a wide, lockable revolving door and an automatic skylight for optimum air circulation. Thanks to a standing wall height of 1.49 m and a ridge height of 2.14 m, there is plenty of space for your plants, such as tomatoes and cucumbers. The construction is made of sturdy aluminium and heat-insulating, unbreakable 6 mm polycarbonate twin-wall sheets. It also has rain gutters on both sides and is ideal for growing plants in spring.

COLOUR VERSIONS

Aluminium pressed blank



PRODUCT DETAILS

Glazing grid: 0.71 m
Glazing: 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate „Longlife“ UV-protected exterior
UV protection:



Highlights

- Large skylight with automatic window regulator
- Wide, split hinged door, lockable (approx. 0.77 x 1.83 m)
- Rain gutter with drains on both sides

MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	CALLAS TYPE III (2.27 x 2.27 m = 5.15 m²)	Pressed blank	19300000	4260120344842
		Aluminium foundation frame	19304000	4260120344859
	CALLAS TYPE IV (2.27 x 3.00 m = 6.81 m²)	Pressed blank	19400000	4260120344866
		Aluminium foundation frame	19404000	4260120344873

i Matching accessories available separately. Customisation possible on request.
Optional: Fixing set for dowelling (page 64)



Tip: In addition to vegetables, flowers such as dahlias can also be grown wonderfully in the greenhouse.



Do you like this model, but would like a little more space in the width? Then take a look at the Enzian model (page 14).



Enzian is the broader version of Callas



Secure plug-and-screw connection technology



Practical accessories on page 60



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Rainwater is efficiently channelled away on both sides.



Including rain gutters on both sides



Optional foundation frame (information on page 48)



Space-saving plant trays on page 61

GREENHOUSE ENZIAN

A space miracle for ideal plant cultivation

With a width of 2.67 m and a comfortable height (standing wall height of 1.49 m and ridge height of 2.27 m), the Enzian greenhouse offers plenty of space for gardening. Ideal for beginners, it makes it easy to grow plants in early spring. Heat-insulating ISO twin-wall sheets ensure optimum stability. In addition to the wide, lockable, split revolving door, the greenhouse also has a skylight with automatic window opener to ensure optimum ventilation of your greenhouse.

COLOUR VERSIONS

Aluminium pressed blank

PRODUCT DETAILS

Glazing grid: 0.71 m
Glazing: 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate „Longlife“ UV-protected exterior
UV protection:



Highlights

- Large skylight with automatic window regulator
- Comfortable standing wall height of 1.49 m
- Wide, split hinged door, lockable (approx. 0.77 x 1.93 m)



MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	ENZIAN TYPE III (2.67 x 2.27 m = 6.06 m ²)	Pressed blank	20300000	4260120345061
		Aluminium foundation frame	20304000	4260120345078
	ENZIAN TYPE IV (2.67 x 3.00 m = 8.01 m ²)	Pressed blank	20400000	4260120345085
		Aluminium foundation frame	20404000	4260120345092

Matching accessories available separately. Customisation possible on request. Optional: Fixing set for dowelling (page 64)



Did you know?
If you do not have time to assemble the greenhouse or require assistance, we offer an assembly service. Find out more on page 48.



GREENHOUSE JASMIN

Refined look with practical monopitch roof

The Jasmin II mono-pitch roof greenhouse with 6 mm twin-wall sheets is the ideal greenhouse for both small and larger hobby gardens. The design with a monopitch roof is not only visually appealing, it also ensures a high incidence of light and a comfortable standing wall height for ergonomic gardening. Thanks to the continuous aluminium profiles and the sophisticated glazing technology without brackets and plastic strips, not only enormous stability but also a high level of safety is guaranteed. The wide, divided revolving door ensures easy access.

COLOUR VERSIONS

Aluminium pressed blank

PRODUCT DETAILS

Glazing grid: 0.71 m
Glazing: 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate „Longlife“ UV-protected exterior
UV protection:



Highlights


- Wide, split hinged door, lockable (approx. 0.77 x 1.83 m)
- Rear window with manual opener
- Roof overhang approx. 50 cm Incl. gutter with downpipe
- Extra high standing wall height of 1.93 m

MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	JASMIN TYPE II (2,27 x 1,53 m = 3,47 m²)	Pressed blank	21200000	4260120345108
		Aluminium foundation frame	21204000	4260120345115

Matching accessories available separately. Customisation possible on request.
Optional: Fixing set for dowelling (page 64)



Do you already know our free sowing calendar?



Sow and harvest seasonally. Scan the QR code now and download the free KGT sowing calendar! Alternatively, you can find the calendar at: www.kgt-gmbh.de/plant-calendar



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.

The high standing wall height is ideal for tall-growing vegetables.



Thermometers and other accessories from 64



Large rear window with hand-held opener



50 cm roof overhang



Greenhouses for the senses

GREENHOUSE RELAXATION CENTRE

Greenhouses are enchanting retreats that take our senses on a journey of discovery. Here we can experience the diversity of nature through touch, colours, scents and sounds. The arrangement of plants, flowers and structures creates a sensual harmony that offers relaxation. Greenhouses remind us to consciously perceive the world and leave the stress of everyday life behind us. They are places of inspiration, of inner peace, they are hobby rooms, retreats or green living rooms. How do you use your greenhouse? To indulge in your hobby, for self-sufficiency or for relaxation?

A feel-good green ambience: ► Greenhouses with real glass glazing (page 40)



It's simply more fun together!

COMMUNITY GARDENS

Community gardens are an up-and-coming trend that is gaining momentum in urban and rural areas. They promote sustainability, social bonding, food security can be found on page 59. and environmental awareness. These green oases provide space for community use, relaxation and education, while promoting biodiversity in urban environments and having a positive impact on quality of life. Why not give it a try in your neighbourhood, for example?



► KGT greenhouses impress with high-quality materials and a long service life. Discover the variety of models on pages 10 - 48.

Sustainable gardening with long-lasting products

QUALITY THAT GIVES LONG-LASTING PLEASURE

Sustainability is and remains a trend topic in the garden. Because those who rely on long-lasting greenhouses, raised beds and accessories not only do something good for the environment and conserve resources, but also enjoy the products for a long time. Greenhouses and raised beds made of aluminum are very robust and, in combination with high-quality, built-in components, create a basis for sustainable gardening and a conscious lifestyle.

Greenhouses with 10 mm glazing

Our series with 10 mm glazing is ideal for garden professionals. Here you will find slightly more spacious greenhouses with thicker glazing and therefore better insulation values. This means you can start the season early and also overwinter frost-sensitive plants.

The extensive standard equipment can be supplemented with customised accessories (foundation frame, table, hanging shelf, plant tray, etc.). The same applies to these quality greenhouses: there is no better price/performance ratio. Feel free to compare!

WHAT CHARACTERISES OUR 10 MM MODELS

- ✓ Suitable for garden professionals
- ✓ Thicker glazing with better insulation values for an early start to the season and for overwintering plants
- ✓ Spacious greenhouses



_Rose



_Orchidee



_Lilie



_Linea



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



The standard automatic window regulator ensures optimum ventilation. Even when you're not at home.



Automatic window regulator



Also available in moss green and anthracite grey



Practical accessories on page 60

GREENHOUSE ROSE

For the discerning hobby gardener

The Rose aluminium greenhouse is aimed at dedicated hobby gardeners and impresses with its stability and high level of comfort. Its 10 mm thick ISO twin-wall sheets are securely integrated into the frame, contribute to stability and protect plants from burns thanks to excellent light diffusion inside the greenhouse. They also insulate effectively to store heat and thus extend the cultivation period. With a standing wall height of 1.49 m and a ridge height of 2.15 m, it offers plenty of space for tall-growing plants and comfortable gardening. Available in three modern colours.

COLOUR VERSIONS

- Aluminium pressed blank
- Moss green (RAL 6005)
- Anthracite grey (DB 703)

PRODUCT DETAILS

- Glazing grid: 1.06 m
- Glazing: 10 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
- UV protection: „Longlife“ UV-protected exterior



Highlights

- Rain gutter with downpipes on both sides
- Wide, split hinged door (0.76 x 1.85 m) with lockable handle, door hinge on the right
- Roof window including automatic window regulator
- Rear window with manual opener



MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	ROSE TYPE II (2.33 x 2.17 m = 5.0 m²)	Pressed blank	11200000	4260120340011
		Moss green (RAL 6005)	11200002	4260120340806
		Anthracite grey (DB 703)	11200003	4260120342459
		Aluminium foundation frame	11204000	4260120340028
	ROSE TYPE III (2.33 x 3.23 m = 7.5 m²)	Pressed blank	11300000	4260120340035
		Moss green (RAL 6005)	11300002	4260120340059
		Anthracite grey (DB 703)	11300003	4260120342466
		Aluminium foundation frame	11304000	4260120340042
	ROSE TYPE IV (2.33 x 4.29 m = 10 m²)	Pressed blank	11400000	4260120340066
		Moss green (RAL 6005)	11400002	4260120340790
		Anthracite grey (DB 703)	11400003	4260120342473
		Aluminium foundation frame	11404000	4260120340073

Matching accessories available separately. Customisation possible on request.

GREENHOUSE ORCHIDEE

Best quality for dedicated gardening enthusiasts

The Orchidee greenhouse is specially designed for discerning hobby gardeners. It has robust 10 mm thick ISO twin-wall sheets for high stability. The glazing also protects your plants from burns, which is why additional shading is not required. Another advantage of the twin-wall sheets is the high insulation value, which allows the useful heat to be stored in the greenhouse for longer. Optimum ventilation is ensured by various ventilation options. A lockable door and rain gutters with drains on both sides are also included. Continuous profiles prevent leaks.

COLOUR VERSIONS

- Aluminium pressed blank
- Moss green (RAL 6005)
- Anthracite grey (DB 703)

PRODUCT DETAILS



- Glazing grid: 1.06 m
- Glazing: 10 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
- UV protection: „Longlife“ UV-protected exterior




Highlights

- Large skylight with automatic window regulator plus rear window with manual opener
- The Orchidee greenhouse is the wider version of the Rose model
- Comfortable standing wall height of 1.49 m
- Wide, split hinged door (approx. 0.76 x 2.04 m) with lockable handle, door hinge on the right



MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	ORCHIDEE TYPE III (2.97 x 3.23 m = 9.6 m²)	Pressed blank	12300000	4260120340080
		Moss green (RAL 6005)	12300002	4260120340103
		Anthracite grey (DB 703)	12300003	4260120342480
		Aluminium foundation frame	12304000	4260120340097
	ORCHIDEE TYPE IV (2.97 x 4.29 m = 12.75 m²)	Pressed blank	12400000	4260120340110
		Moss green (RAL 6005)	12400002	4260120340134
		Anthracite grey (DB 703)	12400003	4260120342497
		Aluminium foundation frame	12404000	4260120340127

 Matching accessories available separately. Customisation possible on request.



Visit us online!
All new products and product details can also be found on the Internet at www.kgt-gmbh.de



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



You like the model, but you would like something More space in height? Then take a look at the Lilie model (page 24).



Also available in pressed blank and moss green



High-quality, lockable door handle



Accessories such as ridge decorations on page 63



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Extra high standing wall height of 1.83 m.



Optimum ventilation through two windows



Also available in anthracite grey and pressed blank



Hanging shelves and other accessories on page 61

GREENHOUSE LILIE

Plenty of space for tomatoes, cucumbers and co

Thanks to the transparent ISO twin-wall sheets with a thickness of 10 mm, shading of the Lilie greenhouse is generally not necessary. The twin-wall sheets protect your plants from burning. This greenhouse is also equipped with a rain gutter on both sides, including downpipes, so that rainwater can be collected for watering. With a standing wall height of 1.83 m and a generous ridge height of 2.68 m, there is plenty of space for you and your plants. This means that tomatoes and cucumbers can easily grow upwards and develop to their full potential.

COLOUR VERSIONS

Aluminium pressed blank

Moss green (RAL 6005)

Anthracite grey (DB 703)

PRODUCT DETAILS

Glazing grid: 1.06 m
Glazing: 10 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
UV protection: „Longlife“ UV-protected exterior



Highlights

- Large skylight with automatic window regulator plus rear window with manual opener
- The Lilie greenhouse is the higher version of the Orchidee model
- Extra high standing wall height of 1.83 m
- Wide, split hinged door (approx. 0.76 x 2.04 m) with lockable handle, door hinge on the right

MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	LILIE TYPE III (2.97 x 3.23 m = 9.6 m ²)	Pressed blank	13300000	4260120340141
		Moss green (RAL 6005)	13300002	4260120340165
		Anthracite grey (DB 703)	13300003	4260120342503
		Aluminium foundation frame	13304000	4260120340158
	LILIE TYPE IV (2.97 x 4.29 m = 12.75 m ²)	Pressed blank	13400000	4260120340172
		Moss green (RAL 6005)	13400002	4260120340196
		Anthracite grey (DB 703)	13400003	4260120342510
		Aluminium foundation frame	13404000	4260120340189

Matching accessories available separately. Customisation possible on request.

Tip: When planting in the greenhouse, pay attention to which plants get on well with which. Kohlrabi and tomatoes, for example, are good bed neighbours.



GREENHOUSE LINEA

Innovative design with optimum incidence of light

The Linea greenhouse with its mono-pitch roof offers excellent light output as well as stylish design accents. The high side walls and spacious interior allow for comfortable gardening. The roof has a projection of 50 cm and is very robust with a snow load capacity of up to 125 kg/m². Ventilation is optimised via the three large windows and the wide split door. Linea impresses with its premium quality and perfect function at a professional level.

COLOUR VERSIONS



- Aluminium pressed blank
- Anthracite grey (DB 703)

PRODUCT DETAILS

- Glazing grid: 1.06 m
- Glazing: 10 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
- UV protection: „Longlife“ UV-protected exterior

Highlights

- Two opening windows at the front and one rear window with manual openers
- Comfortable standing thanks to 1.93 m high side walls
- Split hinged door with lockable handle, door hinge on the right
- Rear rain gutter with downpipe

MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	LINEA TYPE I (2.33 x 1.10 m = 2.56 m²)	Pressed blank	16100000	4260120342305
		Anthracite grey (DB 703)	16100003	4260120342398
		Aluminium foundation frame	16104000	4260120342312
	LINEA TYPE II (2.97 x 2.04 m = 6.06 m²)	Pressed blank	16200000	4260120342039
		Anthracite grey (DB 703)	16200003	4260120342251
		Aluminium foundation frame	16204000	4260120342046

 Matching accessories available separately. Customisation possible on request.

On Instagram, we post useful tips about greenhouses and the like as well as competitions, inspiration and much more! Are you already following us?

 KGT_gmbh



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Front pop-up window



50 cm roof overhang



Available in anthracite grey or pressed blank

What should you consider before buying a greenhouse?

The desire is there and the decision has been made: You want to buy your own greenhouse. What should you consider before buying? We have put together a checklist of important questions that you should ask yourself before buying and that can help you in choosing the right model.

► Also try out our online greenhouse advisor! Scan the QR code or visit: www.kgt-gmbh.de/greenhouse-consultant



YOUR CULTIVATION GOALS



Think about your cultivation goals, as these will influence the choice of plants, materials, equipment and maintenance. Depending on exactly what you want to use your greenhouse for, the requirements for the right model will change. For example, if you want to grow vegetables all year round, choose a greenhouse with good insulating glazing (such as 16 mm ISO twin-wall sheets, from page 29). If, on the other hand, you want to use your greenhouse as a green living room for relaxation, clear real glass glazing with an elegant look is ideal (from page 40).

THE OPTIMAL LOCATION



A sunny spot that is free of shade for as much of the day as possible ensures optimum plant growth. Lots of wind worsens the insulation. It is therefore advisable to choose a wind-protected location and use hedges, for example, to break the wind. Also consider the accessibility of the greenhouse for easy care and harvesting. We also recommend positioning the long side of the greenhouse in an east-west direction so that the long side walls can take in plenty of light. Also consider the size of the greenhouse. How much space do you need for plants, work areas and paths?

THE RIGHT MATERIAL



Depending on where you live, the climate and your growing goals, the material is an important factor. Opt for a durable, weather-resistant basic structure (such as aluminium) to enjoy your greenhouse for a long time and not have to worry about tiresome maintenance work. The glazing has a significant influence on the microclimate in the greenhouse. Find out which glazing is suitable for your requirements on page 8.

THE RIGHT VENTILATION



Ventilation and temperature control are crucial for a successful greenhouse. Provide ventilation windows and roof vents to prevent heat build-up and, depending on your climate (or where you live), consider heating systems for year-round growing.

A STABLE FOUNDATION



Should your greenhouse be dowelled or screwed onto an existing concrete foundation or would you like to use an uncomplicated and stable solution such as a foundation frame? (You can find out more about the function and advantages of a foundation frame on page 48).



Greenhouse with 16 mm glazing

The well-insulating glazing with 16 mm thick twin-wall sheets gets your green splendour through the winter without enormous heating costs. Naturally our 16 mm models also offer all the other advantages and „strengths of character“ of the KGT family.

The durable and functionally reliable basic construction with aluminium profiles and polycarbonate glazing ensures outstanding stability. The extensive standard equipment can be supplemented with customised accessories (foundation frame, table, hanging shelf, plant tray, etc.).

WHAT CHARACTERISES OUR 16 MM MODELS

- ✓ Suitable for garden professionals
- ✓ Extra thick glazing for optimum insulation
- ✓ Easy overwintering of frost-sensitive plants without high heating costs



_Iris



_Nelke



_Dahlie



_Santini

GREENHOUSE IRIS

Perfect conditions for every season

The Iris greenhouse is a multifunctional, creative space for growing and caring for plants. It is characterised by a stable and durable aluminium construction and impresses with its elegant design without brackets and plastic strips. The year-round greenhouse offers optimum protection for plants with 16 mm ISO twin-wall sheets and intelligent ventilation. It has a wide, split revolving door, a large skylight with automatic window opener and a practical rear window, which together ensure ideal growing conditions.

COLOUR VERSIONS

Aluminium pressed blank	Fir green (RAL 6009)	Anthracite grey (DB 703)
-------------------------	----------------------	--------------------------

PRODUCT DETAILS




Glazing grid:	1.06 m
Glazing:	16 mm ISO twin-wall sheets made of highly break-resistant polycarbonate „Longlife“ UV-protected exterior
UV protection:	



Highlights

- Rain gutter with downpipes on both sides
- Wide, split hinged door (0.76 x 1.85 m) with lockable handle, door hinge on the right
- Comfortable standing wall height of 1.60 m
- Roof window including automatic window regulator
- Rear window with manual opener



MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	IRIS TYPE II (2.33 x 2.17 m = 5.0 m²)	Pressed blank	22200000	4260120345238
		Fir green (RAL 6009)	22200002	4260120345245
		Anthracite grey (DB 703)	22200003	4260120345252
		Aluminium foundation frame	22204000	4260120345269
	IRIS TYPE III (2.33 x 3.23 m = 7.5 m²)	Pressed blank	22300000	4260120345276
		Fir green (RAL 6009)	22300002	4260120345283
		Anthracite grey (DB 703)	22300003	4260120345290
		Aluminium foundation frame	22304000	4260120345306
	IRIS TYPE IV (2.33 x 4.29 m = 10 m²)	Pressed blank	22400000	4260120345313
		Fir green (RAL 6009)	22400002	4260120345320
		Anthracite grey (DB 703)	22400003	4260120345337
		Aluminium foundation frame	22404000	4260120345344

 Matching accessories available separately. Customisation possible on request.



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Do you like this model, but would like a little more space in the width? Then take a look at the Nelke model (page 32).



The Nelke model is the wider version of Iris



Practical accessories on page 64



Gardening all year round thanks to 16 mm HKP



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Do you like this model, but would like a little more space in height? Then take a look at the Dahlie model (page 34).



Available in two sizes and three colours



Practical accessories on page 64



Dahlie is the higher version of Nelke

GREENHOUSE NELKE

The innovative companion for your garden projects

The Nelke greenhouse combines innovation and elegance for hobby gardeners. With a sturdy aluminium construction, clip-free design and efficient ventilation, it provides an ideal environment for plants of all kinds. A comfortable working height and a wide range of customisation options in terms of colour and style make Nelke the ideal partner for all phases of gardening. The excellent insulation provided by 16 mm ISO twin-wall sheets ensures optimum growing conditions throughout the gardening year.

COLOUR VERSIONS

- Aluminium pressed blank
- Fir green (RAL 6009)
- Anthracite grey (DB 703)

PRODUCT DETAILS

- Glazing grid: 1.06 m
- Glazing: 16 mm ISO twin-wall sheets made of highly break-resistant polycarbonate „Longlife“ UV-protected exterior
- UV protection:



Highlights


- Rain gutter with downpipes on both sides
- Wide, split hinged door (0.76 x 2.00 m) with lockable handle, door hinge on the right
- Comfortable standing wall height of 1.60 m
- Roof window including automatic window regulator
- Rear window with manual opener



MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	NELKE TYPE III (2.97 x 3.23 m = 9.6 m²)	Pressed blank	23300000	4260120345351
		Fir green (RAL 6009)	23300002	4260120345368
		Anthracite grey (DB 703)	23300003	4260120345375
		Aluminium foundation frame	23304000	4260120345382
	NELKE TYPE IV (2.97 x 4.29 m = 12.75 m²)	Pressed blank	23400000	4260120345399
		Fir green (RAL 6009)	23400002	4260120345405
		Anthracite grey (DB 703)	23400003	4260120345412
		Aluminium foundation frame	23404000	4260120345429

Matching accessories available separately. Customisation possible on request.

Did you know? Our automatic window regulators contain natural waxes and oils that expand when heated, creating pressure to open the window.



GREENHOUSE DAHLIE

Experience gardening pleasure in a class of its own

The Dahlie greenhouse combines innovation with elegance. It offers high stability and durability thanks to its aluminium construction. The design without brackets and plastic mouldings enhances its aesthetics and strength. With its efficient ventilation system, a large door and automatic skylights, it promotes optimum air circulation. The 1.90 m standing wall height enables comfortable working, while the 16 mm ISO twin-wall sheets provide excellent insulation and ideal growing conditions. Selectable colour options offer individual design possibilities.

COLOUR VERSIONS

- Aluminium pressed blank
- Fir green (RAL 6009)
- Anthracite grey (DB 703)



PRODUCT DETAILS

- Glazing grid: 1.06 m
- Glazing: 16 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
- UV protection: „Longlife“ UV-protected exterior



Highlights

- Rain gutter with downpipes on both sides
- Wide, split hinged door (0.76 x 2.00 m) with lockable handle, door hinge on the right
- Extra high standing wall height of 1.90 m
- Rear window with manual opener

MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	DAHLIE TYPE III (2.97 x 3.23 m = 9.6 m²)	Pressed blank	24300000	4260120345436
		Fir green (RAL 6009)	24300002	4260120345443
		Anthracite grey (DB 703)	24300003	4260120345450
		Aluminium foundation frame	24304000	4260120345467
	DAHLIE TYPE IV (2.97 x 4.29 m = 12.75 m²)	Pressed blank	24400000	4260120345474
		Fir green (RAL 6009)	24400002	4260120345481
		Anthracite grey (DB 703)	24400003	4260120345498
		Aluminium foundation frame	24404000	4260120345504

 Matching accessories available separately. Customisation possible on request.

Our continuous aluminium foundation frame is available as an option and ensures a firm hold on the ground. Further information can be found on page 48.



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.


Extra high standing wall height of 1.90 m



Extended installation time thanks to 16 mm glazing



Practical accessories on page 61



Stable glazing technology without clamps



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Two front pop-up windows and an additional rear window with a manual opener ensure optimum air circulation.



Front pop-up window



Also available as a compact small version



50 cm roof overhang

GREENHOUSE SANTINI

Elegant design for gardeners with style


The Santini II greenhouse combines elegance with functionality and a modern monopitch roof design. It offers excellent insulation thanks to 16 mm ISO twin-wall sheets and an attractive exterior. A wide, split hinged door provides easy access, while two pop-up windows at the front and an additional window at the rear allow optimum ventilation and climate control. The robust roof can bear a snow load of up to 125 kg/m². The greenhouse is made of durable materials that promise longevity. The Santini II is ideal for hobby gardeners of all levels of experience and helps to create optimum conditions for plant growth.

COLOUR VERSIONS

- Aluminium pressed blank
- Anthracite grey (DB 703)

PRODUCT DETAILS

- Glazing grid: 1.06 m
- Glazing: 16 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
- UV protection: „Longlife“ UV-protected exterior



Highlights

- Two opening windows at the front and one rear window with manual openers
- Comfortable standing thanks to 1.98 m high side walls
- Wide, split hinged door (approx. 0.76 x 1.85 m) with lockable handle, door hinge on the right
- Rear rain gutter with downpipe

MODEL DRAWING	PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
	SANTINI TYPE II SMALL (2.33 x 1.50 m = 3.5 m²)	Pressed blank	25100000	4260120345511
		Anthracite grey (DB 703)	25100003	4260120345528
		Aluminium foundation frame	25104000	4260120345535
	SANTINI TYPE II (2.97 x 2.04 m = 6.06 m²)	Pressed blank	25200000	4260120345542
		Anthracite grey (DB 703)	25200003	4260120345559
		Aluminium foundation frame	25204000	4260120345566

Matching accessories available separately. Customisation possible on request.

Useful helpers: It is not always necessary to resort directly to poison for pests in the greenhouse. Beneficial insects can be used specifically as biological plant protection. Ladybirds, for example, help with aphid infestations.



Home-grown brand: How to get started with self-sufficiency

Self-sufficiency by growing fruit, vegetables and herbs in greenhouses is a sustainable way to improve your diet, live more sustainably and save money. With these tips, you can enjoy fresh and healthy food all year round.



1

You can grow fresh fruit and vegetables in greenhouses all year round. Choose cold-tolerant varieties for the winter or use heating systems to regulate the temperature.

2

Make efficient use of the available space in the greenhouse by considering vertical gardening. Climbing plants such as tomatoes, Cucumbers and beans can be hung on trellises or ropes.

3

Use organic farming methods to produce healthy, pesticide-free food. The use of beneficial insects such as ladybirds can help with pest control.

4

Create a sowing and harvesting calendar to have fresh produce all year round. Take growing cycles and planting times into account.

5

Check the health of your plants regularly to recognise and combat diseases or pests at an early stage.

6

Learn different preservation techniques such as freezing, canning and drying to preserve surplus produce and use it out of season.

7

Use your own compost to fertilise the soil in the greenhouse and promote the growth of your plants.

8

Share your surplus harvest with neighbours or join a gardening community to exchange tips and resources.



◀ Sow and harvest seasonally. Scan the QR code now or go to www.kgt-gmbh.de/plant-calendar and download the free KGT sowing calendar!



Premium greenhouses with real glass option (ESG)

Here in East Frisia, we still rely on solid craftsmanship, German engineering and first-class service. Depending on the intended use, the premium greenhouses Galant and Novum offer the choice between real glass (4 mm ESG) and 10 mm ISO hollow chamber panels as side and gable glazing.

Our new products Aptasia and Ortasia combine the best of both materials and, in addition to the proven stability of ISO twin-wall sheets, also offer the elegant aesthetics of real glass.

WHAT CHARACTERISES THE PREMIUM MODELS

- ✓ Very stable construction
- ✓ Particularly high side height for a great sense of space
- ✓ Choose between real glass or twin-wall sheets as side and gable glazing



_Aptasia



_Ortasia



_Galant



_Novum



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Shatter-proof
roof glazing
(10 mm ISO twin-
wall sheets) and stable
side and gable glazing
(4 mm real glass -
ESG)



You like the
model, but would
like a little more
space in width? Then
take a look at the
Ortasia model
(page 42).



Roof window including automatic window regulator



Integrated rain gutters with aluminum downpipes



Available in three sizes

NEW GREENHOUSE APTASIA

Functionality and aesthetics combined

The KGT Aptasia greenhouse combines well thought-out functionality with stylish design in a small space. It offers space for growing plants and serves as a place of retreat in the green. The high standing wall of 1.69 m enables comfortable working. The glazing made of 4 mm single-pane safety glass (ESG) ensures stability and a clear atmosphere. The rust-proof aluminum profiles ensure that you can enjoy the greenhouse for a long time, while rain gutters ensure efficient water drainage. Aptasia, as a narrower version of the Ortasia model, is ideal for smaller gardens without any loss of quality.

COLOUR VERSIONS

Anthracite grey (DB 703)

PRODUCT DETAILS

Glazing grid: 1.06 m
Glazing: 10 mm ISO twin-wall sheets made of highly break-resistant polycarbonate/ 4 mm real glass (ESG)
UV protection: „Longlife“ UV-protected exterior



Highlights

- With stable real glass as side and gable glazing for a classy look
- Large roof window including automatic window lifter and rear wall window with manual opener
- Divided revolving door (approx. 0.76 x 1.92 m) with high-quality door handle and PZ lock
- Particularly high side height for a great feeling of space



MODEL DRAWING	PRODUCT/ DIMENSIONS	COLOUR/ ACCESSORIES	GLAZING	ITEM NO.	EAN
	APTASIA TYPE III small (2.33 x 2.17 m = 5.1 m²)	Anthracite grey (DB 703)	ESG / HKP*	26200003	4260120346099
		Aluminium foundation frame		26204000	4260120346105
	APTASIA TYPE III (2.33 x 3.23 m = 7.5 m²)	Anthracite grey (DB 703)	ESG / HKP*	26300003	4260120346112
		Aluminium foundation frame		26304000	4260120346129
	APTASIA TYPE IV (2.33 x 4.29 m = 10 m²)	Anthrazit-grau (DB703)	ESG / HKP*	26400003	4260120346136
		Aluminium foundation frame		26404000	4260120346143

* Glazing eaves sides/gable: 4 mm real glass (ESG) | Glazing roof: 10 mm ISO twin-wall sheets
Matching accessories available separately. Custom-made products available on request.

NEW GREENHOUSE ORTASIA

Relax in nature – experience garden living

The KGT greenhouse Ortasia offers generous space and a robust construction. With a width of 2.97 m, it is ideal for ambitious gardeners or also suitable as a living room in the green. The high standing wall ensures comfortable working and relaxation. The glazing made of 4 mm thick single-pane safety glass (ESG) creates stability and a bright, open atmosphere. Rain gutters on both sides with aluminum downpipes enable efficient water drainage. Ortasia is the larger version of the Aptasia model and offers even more space for plants and relaxing hours in the garden.

COLOUR VERSIONS

Anthracite grey (DB 703)

PRODUCT DETAILS



Glazing grid: 1.06 m
Glazing: 10 mm ISO twin-wall sheets made of highly break-resistant polycarbonate/ 4 mm real glass (ESG)
UV protection: „Longlife“ UV-protected exterior




Highlights

- With stable real glass as side and gable glazing for a classy look
- Large roof window including automatic window lifter and rear wall window with manual opener
- Divided revolving door (approx. 0.76 x 1.92 m) with high-quality door handle and PZ lock
- Particularly high side height for a great feeling of space



MODEL DRAWING	PRODUCT/ DIMENSIONS	COLOUR/ ACCESSORIES	GLAZING	ITEM NO.	EAN
	ORTASIA TYPE III (2.97 x 3.23 m = 9.6 m²)	Anthracite grey (DB 703)	ESG / HKP*	27300003	4260120346150
		Aluminium foundation frame		27304000	4260120346167
	ORTASIA TYPE IV (2.97 x 4.29 m = 12.7 m²)	Anthracite grey (DB 703)	ESG / HKP*	27400003	4260120346174
		Aluminium foundation frame		27404000	4260120346181

*Glazing eaves sides/gable: 4 mm real glass (ESG) | Glazing roof: 10 mm ISO twin-wall sheets
Matching accessories available separately. Custom-made products available on request.



You can find
further useful
information
about our glazing
types on
page 8.



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Shatter-proof
roof glazing
(10 mm ISO twin-
wall sheets) and stable
side and gable glazing
(4 mm real glass -
ESG)

With a
generous side/
eave height of
1.69 m for
comfortable working
and relaxing.



Rear wall window with manual opener



High-quality, lockable door handle



Durable and rust-proof aluminum profiles



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Choose between 10 mm ISO twin-wall sheets or 4 mm real glass (ESG) for the side and gable glazing.



Do you like this model, but would like a little more space in the width? Then take a look at the Novum model (page 46).



High-quality, lockable lever handle



Stable, continuous ridge and gutter profiles



Roof window incl. automatic window regulator

GREENHOUSE GALANT

Stylish glazing for your green oasis

The Galant Premium greenhouse is ideal for allotments and is extremely stable thanks to its high construction weight. It offers a wide range of uses, both for growing plants and as a place to relax. Equipped with two roof windows (type 2 with one window) including automatic openers and a lockable, separable revolving door, it ensures effective ventilation and an optimum climate. The glazing for the sides and gable can be selected between ISO twin-wall sheets and real glass, depending on requirements. Rain gutters on both sides, each with a downpipe, are included.

COLOUR VERSIONS

Aluminium pressed blank Fir green (RAL 6009) Anthracite grey (DB 703)

PRODUCT DETAILS

Glazing grid: 1.06 m
 Glazing: 10 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
 Optionally 4 mm real glass (ESG)
 UV protection: „Longlife“ UV-protected exterior



Highlights

- Choose between real glass or twin-wall sheets as side and gable glazing
- Roof window incl. automatic window regulator
- Wide, split hinged door (approx. 0.74 x 1.92 m) with lockable handle, door hinge on the right
- Particularly high side height for a great sense of space



MODEL DRAWING	PRODUCT/ DIMENSIONS	COLOUR/ ACCESSORIES	GLAZING	ITEM NO.	EAN
	GALANT TYPE II (2.16 x 2.08 m = 4.5 m²)	Pressed blank	HKP / HKP*	31200000	4260120342992
		Fir green (RAL 6009)	HKP / HKP*	31200002	4260120343036
		Anthracite grey (DB 703)	HKP / HKP*	31200003	4260120343074
	GALANT TYPE II (2.16 x 2.08 m = 4.5 m²)	Pressed blank	HKP / ESG**	31200010	4260120343111
		Fir green (RAL 6009)	HKP / ESG**	31200012	4260120343159
		Anthracite grey (DB 703)	HKP / ESG**	31200013	4260120343197
		Aluminium foundation frame		31204000	4260120343234
	GALANT TYPE III (2.16 x 3.08 m = 6.7 m²)	Pressed blank	HKP / HKP*	31300000	4260120343418
		Fir green (RAL 6009)	HKP / HKP*	31300002	4260120343425
		Anthracite grey (DB 703)	HKP / HKP*	31300003	4260120343432
	GALANT TYPE III (2.16 x 3.08 m = 6.7 m²)	Pressed blank	HKP / ESG**	31300010	4260120343449
		Fir green (RAL 6009)	HKP / ESG**	31300012	4260120343456
		Anthracite grey (DB 703)	HKP / ESG**	31300013	4260120343463
		Aluminium foundation frame		31304000	4260120343470
	GALANT TYPE IV (2.16 x 4.08 m = 8.8 m²)	Pressed blank	HKP / HKP*	31400000	4260120343531
		Fir green (RAL 6009)	HKP / HKP*	31400002	4260120343548
		Anthracite grey (DB 703)	HKP / HKP*	31400003	4260120343555
	GALANT TYPE IV (2.16 x 4.08 m = 8.8 m²)	Pressed blank	HKP / ESG**	31400010	4260120343562
		Fir green (RAL 6009)	HKP / ESG**	31400012	4260120343579
		Anthracite grey (DB 703)	HKP / ESG**	31400013	4260120343586
		Aluminium foundation frame		31404000	4260120343593

*Roof glazing: 10 mm ISO twin-wall sheets | Gable/eaves glazing: 10 mm ISO twin-wall sheets
 **Roof glazing: 10 mm ISO twin-wall sheets | Gable/eaves glazing: 4 mm real glass (ESG)
 Matching accessories available separately. Custom-made products available on request.

GREENHOUSE NOVUM

Elegant space miracle
in premium quality

The Novum premium greenhouse is based on the same profile system as the Galant greenhouse. Vegetable paradise or green living room: with a width of 2.73 m, it offers even more space than the Galant and is also versatile. Equipped with two roof windows (type 2 with one window) including automatic openers and a lockable, separable revolving door, it ensures effective ventilation and an optimum climate. The glazing for the sides and gable can be selected between ISO twin-wall sheets and real glass, depending on requirements. Includes rain gutters with downpipe.

COLOUR VERSIONS

Aluminium pressed blank	Fir green (RAL 6009)	Anthracite grey (DB 703)
-------------------------	----------------------	--------------------------

PRODUCT DETAILS





Glazing grid:	1.06 m
Glazing:	10 mm ISO twin-wall sheets made of highly break-resistant polycarbonate Optionally 4 mm real glass (ESG)
UV protection:	„Longlife“ UV-protected exterior



Highlights

- Choose between real glass or twin-wall sheets as side and gable glazing
- Roof window incl. automatic window regulator
- Wide, split hinged door (approx. 0.94 x 1.92 m) with lockable handle, door hinge on the right
- Particularly high side height for a great sense of space



MODEL DRAWING	PRODUCT/ DIMENSIONS	COLOUR/ ACCESSORIES	GLAZING	ITEM NO.	EAN
	NOVUM TYPE II (2.73 x 2.08 m = 5.7 m²)	Pressblank	HKP / HKP*	32200000	4260120343654
		Tannengrün (RAL 6009)	HKP / HKP*	32200002	4260120343661
		Anthrazit-grau (DB703)	HKP / HKP*	32200003	4260120343678
	NOVUM TYPE II (2.73 x 2.08 m = 5.7 m²)	Pressblank	HKP / ESG**	32200010	4260120343685
		Tannengrün (RAL 6009)	HKP / ESG**	32200012	4260120343692
		Anthrazit-grau (DB703)	HKP / ESG**	32200013	4260120343708
	NOVUM TYPE III (2.73 x 3.08 m = 8.4 m²)	Alu-Fundamentrahmen		32204000	4260120343715
		Pressblank	HKP / HKP*	32300000	4260120343777
		Tannengrün (RAL 6009)	HKP / HKP*	32300002	4260120343784
	NOVUM TYPE III (2.73 x 3.08 m = 8.4 m²)	Anthrazit-grau (DB703)	HKP / HKP*	32300003	4260120343791
		Pressblank	HKP / ESG**	32300010	4260120343807
		Tannengrün (RAL 6009)	HKP / ESG**	32300012	4260120343814
	NOVUM TYPE IV (2.73 x 4.08 m = 11.1 m²)	Anthrazit-grau (DB703)	HKP / ESG**	32300013	4260120343821
		Alu-Fundamentrahmen		32304000	4260120343838
		Pressblank	HKP / HKP*	32400000	4260120343890
	NOVUM TYPE IV (2.73 x 4.08 m = 11.1 m²)	Tannengrün (RAL 6009)	HKP / HKP*	32400002	4260120343906
		Anthrazit-grau (DB703)	HKP / HKP*	32400003	4260120343913
		Pressblank	HKP / ESG**	32400010	4260120343920
	NOVUM TYPE IV (2.73 x 4.08 m = 11.1 m²)	Tannengrün (RAL 6009)	HKP / ESG**	32400012	4260120343937
		Anthrazit-grau (DB703)	HKP / ESG**	32400013	4260120343944
		Alu-Fundamentrahmen		32404000	4260120343951

*Roof glazing: 10 mm ISO twin-wall sheets | Gable/eaves glazing: 10 mm ISO twin-wall sheets
**Roof glazing: 10 mm ISO twin-wall sheets | Gable/eaves glazing: 4 mm real glass (ESG)
Matching accessories available separately. Custom-made products available on request.



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Choose between 10 mm ISO twin-wall sheets or 4 mm real glass (ESG) for both side and gable glazing.

Thanks to strong magnets, the door can be fixed to the greenhouse when open.



Extremely stable and durable construction



High-quality, lockable lever handle



Roof window incl. automatic window regulator




FOUNDATION FRAME

Quality you can build on

An aluminium foundation frame is a practical accessory for your greenhouse that provides a robust and durable base. Unlike bolting the greenhouse directly to an existing base, our specially designed foundation frame offers a simple and durable solution. Available for all our greenhouse models, this frame completely encloses the greenhouse and anchors it securely to the ground.

Thanks to its friction-locked connection to the greenhouse, it provides a more stable fastening than conventional screw connections. Made from high-quality aluminium, this frame is completely rot-proof and can be removed easily and without leaving any residue even after years. It disappears seamlessly into the ground without leaving any annoying tripping hazards. This saves you the effort and expense of a concrete foundation, while your greenhouse remains stable and secure.



▲ The scope of delivery includes the foundation frame, mounting brackets (connection to the greenhouse) and matching corner brackets.

Build it yourself or have it built? The choice is yours.

Our quality products are designed so that they can be installed by the end user without any problems. However, if you do not have time to install them yourself, our installation partners will be happy to install your KGT product quickly and cost-effectively - at a fixed price, of course, with no hidden additional costs. For more information, scan the QR code or go to: <https://www.kgt-gmbh.de/en/service/assembly-partner/>



i Note: We only arrange contact with the installation company. The respective installation company is your contact for all other matters.



Questions about the installation service?
Phone +49 49 56 - 40 75-0

Durable raised beds and cold frame attachments

KGT cold frames are an excellent choice for effectively extending the growing season, optimally protecting your plants and supporting early plant growth. With well thought-out features such as manual raisers and automatic window openers, gardening is twice as much fun.

For ergonomic gardening, our KGT raised beds offer a back-friendly working height. You can choose from a variety of models made of durable aluminium or natural wood materials. These raised beds are characterised by modern designs and are available in different sizes to fit perfectly into any garden. Bring style and functionality to your gardening with KGT.

WHAT CHARACTERISES KGT COLD FRAMES AND RAISED BEDS

- ✓ Durable and weather-resistant construction
- ✓ Modern designs and different sizes
- ✓ Sophisticated details



_ Cold frames



_ Aluminium raised beds



_ Wooden raised beds



_ Cold frame attachments



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Highlights

- A real greenhouse in miniature
- Opening of the lid up to 90° possible
- Hand-held display with several set-up options
- Easy installation and simple operation



ALUMINIUM COLD FRAME 100 & 210

Ideal conditions for your young plants


Protect your young plants with the KGT cold frames 100 or 210. The mini greenhouses are made of transparent 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate and are UV-protected. Depending on the model, the cold frames have one or two practical, wide opening flaps that can be opened up to 90°. The manual opener allows the lid to be opened in various positions and also serves as a locking mechanism.

COLOUR VERSIONS

Aluminium pressed blank


PRODUCT DETAILS

Glazing grid: 0.71 m
Glazing: 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
UV protection: „Longlife“ UV-protected exterior



PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
COLD FRAME 100 (1.03 x 0.91 m)	Pressed blank	16000013	4260120342817
COLD FRAME 210 (2.05 x 0.91 m)	Pressed blank	16000014	4260120342879
Automatic window opener for cold frames		10109421	4260120342237

Customisation possible on request.



The high-quality manual opener also has a locking function.

Highlights

- A real greenhouse in miniature
- Including swing flap (23.5 cm high, 25 cm wide)
- Base suitable for tortoises, guinea pigs or other small animals
- Simple assembly



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.

TURTLE BASE

How to turn the cold frame into a pet enclosure

With the KGT turtle base, the 100 and 210 cold frames can be transformed into an enclosure for turtles, guinea pigs or other small animals in no time at all. The substructure is precisely adapted to the dimensions of the cold frames and is easy to assemble. The manual opening of the cold frames ensures sufficient fresh air while your pets enjoy a trip into the great outdoors.

COLOUR VERSIONS

Aluminium pressed blank

PRODUCT DETAILS

Glazing grid: 0.71 m
Glazing: 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate
UV protection: „Longlife“ UV-protected exterior



PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ART.-NR.	ITEM NO.
TURTLE BASE for the cold frame 100 (height 26 cm)	Pressed blank	16000015	4260120342886
TURTLE BASE for the cold frame 210 (height 26 cm)	Pressed blank	16000016	4260120342893

Customisation possible on request.

The dimensions and design of the turtle base are precisely matched to the cold frame 100 and cold frame 210 and can be easily connected to them.





All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



The profile system is available in two colours: anthracite grey or pressed blank.



Highlights

- Simple installation thanks to innovative plug-in/ screw system
- Extremely stable and permanently rot- and rust-free
- Including rodent grid



ALUMINIUM RAISED BED 130

Robust raised bed in an elegant design


The KGT aluminium raised bed impresses with its technical elegance and combines utility with innovative design. The high-quality frame construction is made of press-finished or powder-coated aluminium profiles, the filling is made of highly stable 4 mm aluminium composite panels (AVP). There is no need for extra film protection on the inside. The raised bed can be combined with a cold frame and slug guard to extend the growing period and provide optimum protection for your plants.

COLOUR VERSIONS

Filling:



Profile System:



PRODUCT DETAILS

- Frame construction: Pressed blank or powder-coated aluminium profiles
- Filling: 4 mm aluminium composite panels (AVP)
- Optionally available: Worm edge and functional cold frame attachment

MODEL DRAWING

i The side sections of the raised bed are coated differently on both sides and can be turned round. You decide which colour should be visible during assembly. When ordering, simply select the colour of the profile system.

PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
ALUMINIUM RAISED BED 130 (1.21 m x 0.91 m x 0.77 m) Vol.: approx. 800 litres	Profile system pressed blank	16000019	4260120344460
	Profile system anthracite grey	16000029	4260120344712
	Intermediate shelf	16000036	4260120345894
	Worm edge 130	16000021	4260120344484



Can be combined with cold frame attachment (p. 55)



One raised bed - two colours



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Highlights

- Simple installation thanks to innovative plug-in/ screw system
- Extremely stable and permanently rot- and rust-free
- Including rodent grid



ALUMINIUM RAISED BED 210

Quality raised bed made in Germany

The KGT aluminium raised beds are available in two sizes, each of which can be combined with a cold frame attachment. You can choose the colour of the profile system for both raised beds. The side parts made of sturdy aluminium composite panels (AVP) are coated differently on both sides and can be turned as desired. All KGT products are „made in Germany“ and consist of high-quality materials that guarantee a long service life.

COLOUR VERSIONS

Filling:



Profile System:



PRODUCT DETAILS

- Frame construction: Pressed blank or powder-coated aluminium profiles
- Filling: 4 mm aluminium composite panels (AVP)
- Optionally available: Worm edge and functional cold frame attachment

MODEL DRAWING

i The side sections of the raised bed are coated differently on both sides and can be turned round. You decide which colour should be visible during assembly. When ordering, simply select the colour of the profile system.

PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
ALUMINIUM RAISED BED 210 (2.05 m x 0.91 m x 0.77 m) Vol.: approx. 1400 litres	Profile system pressed blank	16000020	4260120344477
	Profile system anthracite grey	16000030	4260120344729
	Intermediate shelf	16000038	4260120345917
	Worm edge 130	16000022	4260120344491



Can be combined with cold frame attachment (p. 55)



Also available in 45 cm depth (page 54)



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Highlights

- Simple installation thanks to innovative plug-in/screw system
- Extremely stable and permanently rot- and rust-free
- Elegant look thanks to narrow 45 cm depth



ALUMINIUM RAISED BED 130 & 210 IN 45 CM DEPTH

Aesthetics in the garden redefined

With its compact size, the 45 cm deep aluminium raised bed fits perfectly in small gardens, on the patio or on the balcony. The two-coloured aluminium composite panels offer individual design options. A rodent grid is also included in the scope of delivery and the optional intermediate base increases functionality and reduces the amount of soil required. Available in two different lengths, the raised bed can be integrated wonderfully as a decorative eye-catcher in the garden.

COLOUR VERSIONS

Filling:



Profile System:



PRODUCT DETAILS

- | | |
|-----------------------|---|
| Frame construction: | Pressed blank or powder-coated aluminium profiles |
| Filling: | 4 mm aluminium composite panels (AVP) |
| Optionally available: | Intermediate shelf |



PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
ALUMINIUM RAISED BED 130 45 cm depth (1.21 m x 0.45 m x 0.77 m) Vol.: approx. 419 litres	Profile system pressed blank	16000031	4260120345849
	Profile system anthracite grey	16000032	4260120345856
	Zwischenboden	16000035	4260120345887
ALUMINIUM RAISED BED 210 45 cm depth (2.05 m x 0.45 m x 0.77 m) Vol.: approx. 710 litres	Profile system pressed blank	16000033	4260120345863
	Profilsystem Anthrazit-grau	16000034	4260120345870
	Zwischenboden	16000037	4260120345917

The side sections of the raised bed are coated differently on both sides and can be turned round. You decide which colour should be visible during assembly. When ordering, simply select the colour of the profile system.



Highlights

- Lid can be opened up to 90°
- Manual stand with several installation options
- Easy installation and simple operation




COLD FRAME ATTACHMENTS FOR RAISED BEDS

Practical helpers for successful cultivation


Protect your young plants with the KGT cold frame attachment. The mini greenhouse is made of transparent, UV-protected 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate. The dimensions are perfectly matched to our Woody wooden raised bed and the aluminium raised beds. Depending on the model, the cold frame attachments have one or two wide opening flaps that can be opened up to 90°, as well as practical manual stands with various set-up options.

COLOUR VERSIONS

Filling:



Profile System:



PRODUCT DETAILS

- | | |
|----------------|--|
| Glazing grid: | 0.71 m |
| Glazing: | 6 mm ISO twin-wall sheets made of highly break-resistant polycarbonate |
| UV protection: | „Longlife“ UV-protected exterior |



Erhältlich für alle Hochbeete außer Woody light



Optionaler automatischer Fensterheber

PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
COLD FRAME 130 For raised bed 130 (90 cm depth)	Profile system pressed blank	16000011	4260120342572
	Profile system anthracite grey	16000039	4260120345924
COLD FRAME 210 For raised bed 210 (90 cm depth)	Profile system pressed blank	16000004	4260120342077
	Profile system anthracite grey	16000040	4260120345931
Automatic window opener for cold frames		10109421	4260120342237



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Highlights

- Foundation frame with worm stop for a secure hold on the ground
- Rodent grid included
- Burled film inside to prevent rotting



WOODY WOODEN RAISED BED

Back-friendly gardening with Woody


Discover our stable and durable wooden raised bed made of high-quality larch wood (27 mm board thickness) with a stable foundation frame made of galvanised steel, which also provides an effective snail stop. A grid protects against rodents, while a special dimpled film prevents the wood from rotting and thus extends its service life. An optional snail edge is available for the curved handrail.

COLOUR VERSIONS



PRODUCT DETAILS

Frame construction:	Robust larch wood
Filling:	Robust larch wood with burled foil on the inside
Optionally available:	Worm edge and functional cold frame attachment



Foundation frame for stable mounting



Optional worm edge

PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
WOODY 130 (1.31 m x 0.99 m x 0.79 m) Vol.: approx. 800 litres	Natural larch	16000010	4260120342565
	Worm edge	16000012	4260120342589
WOODY 210 (2.14 m x 0.99 m x 0.79 m) Vol.: approx. 1400 litres	Natural larch	16000003	4260120342060
	Worm edge	16000007	4260120342244

Optionally available with cold frame attachment for optimum cultivation (page 55).



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Highlights

- Foundation frame for a secure hold on the ground
- Rodent grid included
- Dimpled film inside to prevent rotting



WOODY LIGHT WOODEN RAISED BED

Compact, lightweight and particularly durable

Discover the light version of our popular Woody raised bed - perfect for gardening enthusiasts looking for a compact and lightweight raised bed. This raised bed combines functionality with stylish design, made from the best larch wood with a board thickness of 21 mm. The solid base frame is supported by a sturdy steel foundation frame, which provides secure support and stability.

COLOUR VERSIONS



PRODUCT DETAILS

Frame construction:	Robust larch wood
Filling:	Robust larch wood with burled foil on the inside
Optionally available:	Worm edge



Steel foundation frame



Optional worm edge

PRODUCT/DIMENSIONS	COLOUR/ACCESSORIES	ITEM NO.	EAN
WOODY LIGHT (1.27 m x 0.8 m x 0.74 m) Vol.: approx. 530 litres	Natural larch	16000017	4260120342916
	Worm edge	16000018	4260120344019

The right filling in the raised bed is important for a nutrient-rich soil and a high-yield harvest. Find out more about the optimum raised bed filling on the next page.



8 tips for raised beds

- 1** Crop rotation:
The nutrients in the soil can be optimally utilised if different plants are planted in a certain order.
- 2** Location:
Choose a sunny spot with 6-8 hours of sunlight.
- 3** Frost protection:
Many herbs and vegetables can overwinter in raised beds. Provide frost protection with leaves, fleece or a KGT cold frame.
- 4** Season extension:
A KGT cold frame, for example, is suitable for extending the growing season in the raised bed.
- 5** Protection against pests:
Protect your plants from pests. KGT raised beds are already secured with a rodent grid and optionally protected with a snail edge.
- 6** Mixed culture:
Your plants will grow even better with the right neighbours in the bed. Find out who goes well together.
- 7** Filling:
Fill the bed with different layers for optimum growth (see diagram below).
- 8** Care:
Keep your raised bed free of weeds and add fresh compost every year. Autumn leaves, for example, can be used as excellent fertiliser.



The ideal raised bed filling



- 1** Layer 1
Coarse branches, twigs and shredded material
- 2** Layer 2
Leaves, green waste (sods can also be used here).
- 3** Layer 3
Raw compost
- 4** Layer 4
Fine compost and topsoil


Practical accessories and a wide range of equipment for KGT greenhouses

To round off our premium greenhouses, we have developed accessories precisely tailored to our models so that you can make the most of our products and make gardening twice as much fun! With the help of our plant trays, tables, hanging baskets or hanging baskets suspended from ring hooks, you can cultivate your green splendour on several levels.

WHAT CHARACTERISES OUR ACCESSORIES

- ✓ Top quality made in Germany
- ✓ Optimally matched to the KGT greenhouse models
- ✓ Large selection of accessories and equipment for optimum utilisation

_Greenhouse equipment



_Greenhouse accessories





All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Tools, flower pots and garden supplies can be stored within easy reach using a shelving system, for example.

How to make optimum use of your greenhouse

Tidiness in the greenhouse is the be-all and end-all, as it allows you to make optimum use of the available space and garden in a relaxed manner. Tables and shelving systems are ideal for keeping tools and garden accessories organised. With hanging shelves or plant trays, you can work on several levels at once.



UNIVERSAL TABLE

Pressed aluminium kit with two plastic worktops
1.21 m wide | 0.64 m deep | 0.80 m high

Item no. 10109419 EAN 4260120342145



UNIVERSAL SHELVING SYSTEM

Pressed aluminium kit with three plastic worktops
1.10 m wide | 0.35 m deep | 1.0 m high

Item no. 10109420 EAN 4260120342152



UNIVERSAL HANGING SHELF

Pressed aluminium kit incl. fixing material

L: 1,0 m Item no. 10109417 EAN 4260120342121

L: 1,5 m Item no. 10109418 EAN 4260120342138



Practical organizer (Order numbers can be found on the following page)



SUSPENDED SHELF

Press-finished aluminium construction with white plastic shelves, 26 cm deep, continuous at the sides




TABLE FRAME

Press-finished aluminium construction with white plastic shelves, 63.5 cm deep, continuous at the sides



PLANT TRAY

Press-finished aluminium construction with white plastic shelves, 63.5 cm deep, 10 cm high, continuous at the sides





Order numbers hanging shelf,
table frame and plant tray




GREENHOUSES (6 mm)	MODEL	SUSPENDED SHELF		TABLE FRAME		PLANT TRAY	
		ITEM NO.	EAN	ITEM NO.	EAN	ITEM NO.	EAN
	Rhodo III	18321000	4260120341933	18322000	4260120341940	18323000	4260120341957
	Rhodo IV	18421000	4260120341766	18422000	4260120341773	18423000	4260120341780
	Callas III	19321000	4260120344880	19322000	4260120344903	19323000	4260120344927
	Callas IV	19421000	4260120344897	19422000	4260120344910	19423000	4260120344934
	Enzian III	20321000	4260120345122	20322000	4260120345153	20323000	4260120345184
	Enzian IV	20421000	4260120345139	20422000	4260120345160	20423000	4260120345191
	Jasmin II	21221000	4260120345146	21222000	4260120345177	21223000	4260120345207

GREENHOUSES (10 mm)	Rose II	11221000	4260120340349	11222000	4260120340417	11223000	4260120340486
	Rose III	11321000	4260120340356	11322000	4260120340424	11323000	4260120340493
	Rose IV	11421000	4260120340363	11422000	4260120340431	11423000	4260120340509
	Orchidee III	12321000	4260120340370	12322000	4260120340448	12323000	4260120340516
	Orchidee IV	12421000	4260120340387	12422000	4260120340455	12423000	4260120340523
	Lilie III	13321000	4260120340394	13322000	4260120340462	13323000	4260120340530
	Lilie IV	13421000	4260120340400	13422000	4260120340479	13423000	4260120340547
	Linea I	16121000	4260120342343	16122000	4260120342336	16123000	4260120342350
	Linea II	16221000	4260120342169	16222000	4260120342176	16223000	4260120342183

GREENHOUSES (16 mm)	Iris II	22221000	4260120345573	22222000	4260120345665	22223000	4260120345757
	Iris III	22321000	4260120345580	22322000	4260120345672	22323000	4260120345764
	Iris IV	22421000	4260120345597	22422000	4260120345689	22423000	4260120345771
	Nelke III	23321000	4260120345603	23322000	4260120345696	23323000	4260120345788
	Nelke IV	23421000	4260120345610	23422000	4260120345702	23423000	4260120345795
	Dahlie III	24321000	4260120345627	24322000	4260120345719	24323000	4260120345801
	Dahlie IV	24421000	4260120345634	24422000	4260120345726	24423000	4260120345818
	Santini II small	25121000	4260120345641	25122000	4260120345733	25123000	4260120345825
	Santini II	25221000	4260120345658	25222000	4260120345740	25223000	4260120345832

PREMIUM GREENHOUSES	Aptasia III small	26221000	4260120346198	26222000	4260120346242	26223000	4260120346297
	Aptasia III	26321000	4260120346204	26322000	4260120346259	26323000	4260120346303
	Aptasia IV	26421000	4260120346211	26422000	4260120346266	26423000	4260120346310
	Ortasia III	27321000	4260120346228	27322000	4260120346273	27323000	4260120346327
	Ortasia IV	27421000	4260120346235	27422000	4260120346280	27423000	4260120346334
	Galant II	31221000	4260120343319	31222000	4260120343272	31223000	4260120344941
	Galant III	31321000	4260120343494	31322000	4260120343487	31323000	4260120344958
	Galant IV	31421000	4260120343616	31422000	4260120343609	31423000	4260120344965
	Novum II	32221000	4260120343739	32222000	4260120343722	32223000	4260120344972
	Novum III	32321000	4260120343852	32322000	4260120343845	32323000	4260120344989
	Novum IV	32421000	4260120343975	32422000	4260120343968	32423000	4260120344996



The colours of the ridge decoration are precisely matched to the colours of the KGT greenhouses.



AUTOMATIC WINDOW REGULATOR

Stainless steel, compressive force 7 kp.
Adjustable opening and closing point
Only suitable for roof windows

For greenhouses Item no. 25505700 EAN 4260120340561

For cold frames Item no. 10109421 EAN 4260120342237

SPARE CYLINDER

Pressure cylinder for automatic window regulator

Item no. 25505701 EAN 4260120340578

RIDGE ORNAMENTATION

Give your greenhouse a romantic look with a Victorian-style ridge ornament. The decorations are available for all greenhouse models except Rhodo, Callas and Enzian and are manufactured to fit perfectly. Choose from a total of four different colours that exactly match the powder coating of the KGT greenhouses.

PRODUCT	COLOUR	ITEM NO.	EAN
RIDGE ORNAMENTATION TYPE II	Pressed blank	10109414	4260120341469
	Moss green (RAL 6005)	10109422	4260120342657
	Fir green (RAL 6009)	10109438	4260120346358
	Anthracite grey (DB 703)	10109423	4260120342664
RIDGE ORNAMENTATION TYPE III	Pressed blank	10109415	4260120341476
	Moss green (RAL 6005)	10109424	4260120342671
	Fir green (RAL 6009)	10109439	4260120346365
	Anthracite grey (DB 703)	10109425	4260120342688
RIDGE ORNAMENTATION TYPE IV	Pressed blank	10109416	4260120341483
	Moss green (RAL 6005)	10109426	4260120342695
	Fir green (RAL 6009)	10109440	4260120346372
	Anthracite grey (DB 703)	10109427	4260120342701

ADDITIONAL SKYLIGHT

Extend the ventilation of your greenhouse (except Callas, Enzian and Rhodo) with one or more additional roof windows, available for various models in three different colours. The glazing must be cut to size on site from the existing roof panel. An automatic window regulator is included.


PRODUCT	COLOUR	ITEM NO.	EAN
ROOF WINDOW For 10 mm greenhouses	Pressed blank	11205000	4260120340554
	Moss green (RAL 6005)	11205002	4260120341131
	Anthracite grey (DB 703)	11205008	4260120342619
ROOF WINDOW For 16 mm greenhouses	Pressed blank	11205003	4260120341445
	Moss green (RAL 6005)	11205004	4260120341452
	Fir green (RAL 6009)	11205010	4260120346341
	Anthracite grey (DB 703)	11205009	4260120342626



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



Foundation plans of the greenhouses can be found online at www.kgt-gmbh.de



MIN./MAX. THERMOMETER

Displays the current, highest and lowest temperature. With push button for resetting, plastic with aluminum scale, mercury-free fluid, made in Germany

Item no. 10109435 EAN 4260120345030



RING HOOK

PU= 5 pieces
Stainless steel ring hook with long nut and hammerhead screw, can be retrofitted

Item no. 25100100 EAN 4260120340615



Fixing bracket

FIXING SET

Available for all 6 mm greenhouses (Rhodo, Callas, Jasmin and Enzian). Already included in the scope of delivery for all 10 mm and 16 mm greenhouses. With the fixing set, the greenhouse can be fixed to a foundation provided by the customer or dowelled to a concrete foundation (dowels/screws not included). Suitable for all sizes.

Item no. 99990459 EAN 4260120344613



PIPE HOOK

PU= 5 pieces
Stainless steel pipe hook with long nut and hammerhead screw, can be retrofitted

Item no. 25100101 EAN 4260120340622



HAMMER-HEAD SCREWS

PU= 20 pieces
Stainless steel hammer-head bolts with nut, can be retrofitted

Item no. 25111300 EAN 4260120340608

What type of gardener are you?



Find out which model suits you best with our online advisor!

www.kgt-gmbh.de/greenhouse-consultant



Solution-oriented garden friend

Even if you don't have the biggest garden or perhaps just a balcony, use every centimetre for your green passion. With a raised bed, you can garden in a space-saving and back-friendly way. Do you already know Woody? (page 56)



Solution-oriented garden friend

You know about growing vegetables and practically live in your greenhouse. The next level is waiting for you and you are looking for a real professional greenhouse that you will enjoy for a long time. How about the Dahlia model? (page 34)



Style-conscious garden lover

Your garden is your personal oasis of well-being - a place of retreat in the middle of nature. You love to relax in the green. With a stylish premium greenhouse (such as Ortasia p. 42) you combine functionality and aesthetics.

Modern carports and practical extensions

Our carports have the typical KGT strengths: secure glazing with ISO twin-wall sheets made of highly break-resistant polycarbonate that are recessed into the profile all round. The thickness of the twin-wall sheets is 8 mm. On the outside, special „longlife“ UV protection protects the glazing from yellowing and premature ageing. The profile systems made of high-quality aluminium with continuous channels give the constructions maximum stability. Solid connecting elements and stainless steel screws contribute to this.

Despite their enormous stability, the overall construction of the carports appears extremely light and delicate. As a result, it harmonises with practically any surroundings and offers your car safe shelter and protection from snow and hail.

_Carport Elbe



_Side elements



ADVANTAGES OF OUR CARPORTS / TOOL SHEDS

- ✓ High-quality, stable aluminium profile systems
- ✓ Highly break-resistant glazing with „longlife“ UV protection
- ✓ Modern designs and easy installation

Quality overview of carports




- 1 At least 125 kg/m² roof load due to stable basic construction and secure plug-in screw connection technology.
- 2 Large-format, continuous gutter profiles including downpipe.
- 3 All screws made of stainless steel.
- 4 Safe and sophisticated glazing technology, without clips or plastic mouldings.
- 5 Highly break-resistant ISO twin-wall sheets made of polycarbonate, 8 mm thick, including „longlife“ UV protection.
- 6 Secure fastening system for anchoring to the floor.
- 7 Generous entrance width of at least 2.85 metres*. Flexible clearance height of at least 2 metres*. Optimum overall length of at least 5.31 metres*. (*Other dimensions available on request and at an extra charge).

A centrepiece of our KGT products: Highly stable and robust AVP


KGT products are characterised by their particularly high stability and durability. This is achieved, among other things, by using high-quality aluminium composite panels (AVP for short). Due to its high bending strength, excellent dimensional stability and low weight, this material is ideal for filling the side elements of our Elbe carport, for example (see p. 68). The aluminium composite panels consist of a plastic core sandwiched between two aluminium cover sheets.

The adjacent diagram shows the cross-section of a panel and its exact composition. The panels get their colour from a high-quality paint system with primer. In addition to good stability, the aluminium composite panels are also highly UV-resistant and can withstand temperatures from minus 50°C to plus 80°C. They can therefore be used anywhere and are extremely durable. This means they can be used anywhere and are extremely weather-resistant. This is why we use the material not only for carport systems, but also for our garden sheds and aluminium raised beds.

i In comparison with other materials, aluminium composite panels have the same high bending stiffness at a lower weight (see diagram on the right). In order to achieve the same stability as an AVP, PVC, for example, would have to have a significantly greater material thickness and would therefore be considerably heavier.



▲ Cross-section aluminium composite panel
1. aluminium top layer
2. adhesive layer
3. fire-retardant plastic core





All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.



With large entrance width of 2.85 m

Highlights

- Maintenance-free: no painting or impregnation
- Very durable aluminium construction
- High incidence of light thanks to wide glazing louvre
- Easy self-assembly

CARPORT ELBE & SIDE ELEMENTS

Stylish wind and weather protection

Our modern Elbe carport combines aesthetics with functionality and offers a durable, robust shelter for your vehicle. It is characterised by an elegant design in trendy colours and an extremely stable construction made of powder-coated aluminium. The roof covering consists of transparent, highly break-resistant ISO twin-wall polycarbonate sheets, 8 mm thick, which offer optimum protection and a high snow load of approx. 125 kg/m².

The carport is equipped with large rain gutters including downpipes and has six sturdy aluminium supports (60 x 60 mm) with clamping sleeves for setting in concrete. A screw-on set for on-site foundations is available as an option. Additional protection and individual design options are provided by the optional side elements made of aluminium composite panels, which can be fitted between the supports or next to the Elbe garden shed. The panels have a grey coating on one side and a silver coating on the other, making them two-coloured.

COLOUR VERSIONS

Anthracite grey
(DB 703)

Silver
(similar to RAL 9006)

PRODUCT DETAILS

Glazing grid:	1.06 m
Glazing:	8 mm ISO twin-wall sheets made of highly break-resistant polycarbonate „longlife“ UV-protected exterior
UV protection:	125 kg/m²
Snow load:	Powder-coated aluminium
Material: Carport:	Frame made of powder-coated aluminium, infill made of 4 mm thick aluminium composite panels (AVP) - further information on the material on page 63
Material side panels:	
Total length:	approx. 5.31 m
Total width:	approx. 3.12 m (outer edge of gutter)
Entrance width:	approx. 2.85 m
Total height:	approx. 2.55 m
Clearance height:	approx. 2.00 m

Clamping sleeves for setting in concrete are included in the scope of delivery. If there is already a solid surface, you can order the optional screw-on set.



Optional screw-on set consisting of 6 steel brackets




Weather-resistant aluminium composite panels



All prices for the products listed can be found online. Simply scan the QR code or go to www.kgt-gmbh.de/en/catalogs. Alternatively, please contact your local specialist advisor.

MODEL DRAWING

CARPORT ELBE



PRODUCT/DIMENSIONS	COLOUR	ITEM NO.	EAN
CARPORT ELBE 3.12 m x 5.31 m x 2.55 m	Silver	15099001	4260120344507
	Anthracite grey	15099003	4260120344514
SIDE ELEMENT AVP LARGE 2.05 m x 1.75 m	Silver	15000011	4260120344521
	Anthracite grey	15000012	4260120344538
SIDE ELEMENT AVP SMALL 0.48 m x 1.75 m	Silver	15000013	4260120344545
	Anthracite grey	15000014	4260120344552
Carport screw-on set	Steel, galvanised	15000000	4260120340639

Customization possible on request.

The choice is yours!

With practical equipment compartment as an extension or protective side elements - customise your own carport!




Carport Elbe

+



Side elements AVP

=



Carport Elbe incl. side elements AVP

DISCOVER, LEARN, INSPIRE

Connect with us on social media!

Follow us on Instagram, Facebook and Pinterest for inspiring garden ideas, the latest greenhouse trends and exclusive insights behind the scenes at KGT. Become part of our growing community of hobby gardeners and immerse yourself in the digital world of gardening. Be inspired, learn from experts and share your own gardening journey with us!



f Facebook



Instagram



P Pinterest

Customer impressions



Turtle base



Rose III



Rose III



Linea II



Orchidee III



Rose III



Carport Elbe



Orchidee IV

Do you have a nice photo for us of your raised bed, greenhouse or carport? Just send it to us via Facebook or Instagram. We would be delighted!



Iris III

IMPRINT

Publisher:
KGT Kreative Gartentechnik GmbH
Rudolf-Diesel-Straße 1
26670 Uplengen-Jübburde
Germany

Phone.: +49 4956 4075-0
Fax: +49 4956 4075-75

Mail: info@kgt-gmbh.de
www.kgt-gmbh.de



You can find high-quality KGT products at your KGT specialist dealer



NOTE ON PRICES: All prices for the products listed here can be found online. Simply scan the QR code and our current price list will open. Alternatively, you can contact your local specialist advisor. Do you have any questions about our products? We will be happy to advise you personally on +49 4956 4075-0.



KGT GMBH | RUDOLF-DIESEL-STRASSE 1 | D-26670 UPLENGEN-JÜBBERDE
PHONE.: +49 4956 4075-0 | FAX: +49 4956 4075-75
MAIL: INFO@KGT-GMBH.DE | WWW.KGT-GMBH.DE